

BRN BLK BLK SLV BRN  
1 0 0 .01 F  
1% AXIAL LEADED RESISTOR  
1.00 Ω 1R00  
@ ±1%

BRN BLK RED SLV BRN  
1 0 2 .01 F  
1% AXIAL LEADED RESISTOR  
1.02 Ω 1R02  
@ ±1%

BRN BLK GRN SLV BRN  
1 0 5 .01 F  
1% AXIAL LEADED RESISTOR  
1.05 Ω 1R05  
@ ±1%

BRN BLK VIO SLV BRN  
1 0 7 .01 F  
1% AXIAL LEADED RESISTOR  
1.07 Ω 1R07  
@ ±1%

BRN BRN BLK SLV BRN  
1 1 0 .01 F  
1% AXIAL LEADED RESISTOR  
1.10 Ω 1R10  
@ ±1%

BRN BRN ORN SLV BRN  
1 1 3 .01 F  
1% AXIAL LEADED RESISTOR  
1.13 Ω 1R13  
@ ±1%

BRN BRN GRN SLV BRN  
1 1 5 .01 F  
1% AXIAL LEADED RESISTOR  
1.15 Ω 1R15  
@ ±1%

BRN BRN GRY SLV BRN  
1 1 8 .01 F  
1% AXIAL LEADED RESISTOR  
1.18 Ω 1R18  
@ ±1%

BRN RED BLK SLV BRN  
1 2 0 .01 F  
1% AXIAL LEADED RESISTOR  
1.20 Ω 1R20  
@ ±1%

BRN RED BRN SLV BRN  
1 2 1 .01 F  
1% AXIAL LEADED RESISTOR  
1.21 Ω 1R21  
@ ±1%

BRN RED YEL SLV BRN  
1 2 4 .01 F  
1% AXIAL LEADED RESISTOR  
1.24 Ω 1R24  
@ ±1%

BRN RED VIO SLV BRN  
1 2 7 .01 F  
1% AXIAL LEADED RESISTOR  
1.27 Ω 1R27  
@ ±1%

BRN ORN BLK SLV BRN  
1 3 0 .01 F  
1% AXIAL LEADED RESISTOR  
1.30 Ω 1R30  
@ ±1%

BRN ORN ORN SLV BRN  
1 3 3 .01 F  
1% AXIAL LEADED RESISTOR  
1.33 Ω 1R33  
@ ±1%

BRN ORN VIO SLV BRN  
1 3 7 .01 F  
1% AXIAL LEADED RESISTOR  
1.37 Ω 1R37  
@ ±1%

BRN YEL BLK SLV BRN  
1 4 0 .01 F  
1% AXIAL LEADED RESISTOR  
1.40 Ω 1R40  
@ ±1%

BRN YEL ORN SLV BRN  
1 4 3 .01 F  
1% AXIAL LEADED RESISTOR  
1.43 Ω 1R43  
@ ±1%

BRN YEL VIO SLV BRN  
1 4 7 .01 F  
1% AXIAL LEADED RESISTOR  
1.47 Ω 1R47  
@ ±1%

BRN GRN BLK SLV BRN  
1 5 0 .01 F  
1% AXIAL LEADED RESISTOR  
1.50 Ω 1R50  
@ ±1%

BRN GRN YEL SLV BRN  
1 5 4 .01 F  
1% AXIAL LEADED RESISTOR  
1.54 Ω 1R54  
@ ±1%

BRN GRN GRY SLV BRN  
1 5 8 .01 F  
1% AXIAL LEADED RESISTOR  
1.58 Ω 1R58  
@ ±1%

BRN BLU BLK SLV BRN  
1 6 0 .01 F  
1% AXIAL LEADED RESISTOR  
1.60 Ω 1R60  
@ ±1%

BRN BLU RED SLV BRN  
1 6 2 .01 F  
1% AXIAL LEADED RESISTOR  
1.62 Ω 1R62  
@ ±1%

BRN BLU GRN SLV BRN  
1 6 5 .01 F  
1% AXIAL LEADED RESISTOR  
1.65 Ω 1R65  
@ ±1%

BRN BLU WHT SLV BRN  
1 6 9 .01 F  
1% AXIAL LEADED RESISTOR  
1.69 Ω 1R69  
@ ±1%

BRN VIO YEL SLV BRN  
1 7 4 .01 F  
1% AXIAL LEADED RESISTOR  
1.74 Ω 1R74  
@ ±1%

BRN VIO GRY SLV BRN  
1 7 8 .01 F  
1% AXIAL LEADED RESISTOR  
1.78 Ω 1R78  
@ ±1%

BRN GRY BLK SLV BRN  
1 8 0 .01 F  
1% AXIAL LEADED RESISTOR  
1.80 Ω 1R80  
@ ±1%

BRN GRY RED SLV BRN  
1 8 2 .01 F  
1% AXIAL LEADED RESISTOR  
1.82 Ω 1R82  
@ ±1%

BRN GRY VIO SLV BRN  
1 8 7 .01 F  
1% AXIAL LEADED RESISTOR  
1.87 Ω 1R87  
@ ±1%

BRN WHT BRN SLV BRN  
1 9 1 .01 F  
1% AXIAL LEADED RESISTOR  
1.91 Ω 1R91  
@ ±1%

BRN WHT BLU SLV BRN  
1 9 6 .01 F  
1% AXIAL LEADED RESISTOR  
1.96 Ω 1R96  
@ ±1%

RED BLK BLK SLV BRN  
2 0 0 .01 F  
1% AXIAL LEADED RESISTOR  
2.00 Ω 2R00  
@ ±1%

RED BLK GRN SLV BRN  
2 0 5 .01 F  
1% AXIAL LEADED RESISTOR  
2.05 Ω 2R05  
@ ±1%

RED BRN BLK SLV BRN  
2 1 0 .01 F  
1% AXIAL LEADED RESISTOR  
2.10 Ω 2R10  
@ ±1%

RED BRN GRN SLV BRN  
2 1 5 .01 F  
1% AXIAL LEADED RESISTOR  
2.15 Ω 2R15  
@ ±1%

RED RED BLK SLV BRN  
2 2 0 .01 F  
1% AXIAL LEADED RESISTOR  
2.20 Ω 2R20  
@ ±1%

RED RED BRN SLV BRN  
2 2 1 .01 F  
1% AXIAL LEADED RESISTOR  
2.21 Ω 2R21  
@ ±1%

RED RED BLU SLV BRN  
2 2 6 .01 F  
1% AXIAL LEADED RESISTOR  
2.26 Ω 2R26  
@ ±1%

RED ORN RED SLV BRN  
2 3 2 .01 F  
1% AXIAL LEADED RESISTOR  
2.32 Ω 2R32  
@ ±1%

RED ORN VIO SLV BRN  
2 3 7 .01 F  
1% AXIAL LEADED RESISTOR  
2.37 Ω 2R37  
@ ±1%

RED YEL BLK SLV BRN  
2 4 0 .01 F  
1% AXIAL LEADED RESISTOR  
2.40 Ω 2R40  
@ ±1%

RED YEL ORN SLV BRN  
2 4 3 .01 F  
1% AXIAL LEADED RESISTOR  
2.43 Ω 2R43  
@ ±1%

RED YEL WHT SLV BRN  
2 4 9 .01 F  
1% AXIAL LEADED RESISTOR  
2.49 Ω 2R49  
@ ±1%

RED GRN GRN SLV BRN  
2 5 5 .01 F  
1% AXIAL LEADED RESISTOR  
2.55 Ω 2R55  
@ ±1%

RED BLU BRN SLV BRN  
2 6 1 .01 F  
1% AXIAL LEADED RESISTOR  
2.61 Ω 2R61  
@ ±1%

RED BLU VIO SLV BRN  
2 6 7 .01 F  
1% AXIAL LEADED RESISTOR  
2.67 Ω 2R67  
@ ±1%

RED VIO BLK SLV BRN  
2 7 0 .01 F  
1% AXIAL LEADED RESISTOR  
2.70 Ω 2R70  
@ ±1%

RED VIO YEL SLV BRN  
2 7 4 .01 F  
1% AXIAL LEADED RESISTOR  
2.74 Ω 2R74  
@ ±1%

RED GRY BLK SLV BRN  
2 8 0 .01 F  
1% AXIAL LEADED RESISTOR  
2.80 Ω 2R80  
@ ±1%

RED GRY VIO SLV BRN  
2 8 7 .01 F  
1% AXIAL LEADED RESISTOR  
2.87 Ω 2R87  
@ ±1%

RED WHT YEL SLV BRN  
2 9 4 .01 F  
1% AXIAL LEADED RESISTOR  
2.94 Ω 2R94  
@ ±1%

RED BLK BLK SLV BRN  
3 0 0 .01 F  
1% AXIAL LEADED RESISTOR  
3.00 Ω 3R00  
@ ±1%

RED BLK BRN SLV BRN  
3 0 1 .01 F  
1% AXIAL LEADED RESISTOR  
3.01 Ω 3R01  
@ ±1%

ORN BLK BLK SLV BRN  
3 0 9 .01 F  
1% AXIAL LEADED RESISTOR  
3R09  
**3.09 Ω** @±1%

ORN BRN BLU SLV BRN  
3 1 6 .01 F  
1% AXIAL LEADED RESISTOR  
3R16  
**3.16 Ω** @±1%

ORN RED YEL SLV BRN  
3 2 4 .01 F  
1% AXIAL LEADED RESISTOR  
3R24  
**3.24 Ω** @±1%

ORN ORN BLK SLV BRN  
3 3 0 .01 F  
1% AXIAL LEADED RESISTOR  
3R30  
**3.30 Ω** @±1%

ORN ORN RED SLV BRN  
3 3 2 .01 F  
1% AXIAL LEADED RESISTOR  
3R32  
**3.32 Ω** @±1%

ORN YEL BLK SLV BRN  
3 4 0 .01 F  
1% AXIAL LEADED RESISTOR  
3R40  
**3.40 Ω** @±1%

ORN YEL BLU SLV BRN  
3 4 6 .01 F  
1% AXIAL LEADED RESISTOR  
3R46  
**3.46 Ω** @±1%

ORN GRN VIO SLV BRN  
3 5 7 .01 F  
1% AXIAL LEADED RESISTOR  
3R57  
**3.57 Ω** @±1%

ORN BLU BLK SLV BRN  
3 6 0 .01 F  
1% AXIAL LEADED RESISTOR  
3R60  
**3.60 Ω** @±1%

ORN BLU GRN SLV BRN  
3 6 5 .01 F  
1% AXIAL LEADED RESISTOR  
3R65  
**3.65 Ω** @±1%

ORN VIO YEL SLV BRN  
3 7 4 .01 F  
1% AXIAL LEADED RESISTOR  
3R74  
**3.74 Ω** @±1%

ORN GRY ORN SLV BRN  
3 8 3 .01 F  
1% AXIAL LEADED RESISTOR  
3R83  
**3.83 Ω** @±1%

ORN WHT BLK SLV BRN  
3 9 0 .01 F  
1% AXIAL LEADED RESISTOR  
3R90  
**3.90 Ω** @±1%

ORN WHT RED SLV BRN  
3 9 2 .01 F  
1% AXIAL LEADED RESISTOR  
3R92  
**3.92 Ω** @±1%

YEL BLK RED SLV BRN  
4 0 2 .01 F  
1% AXIAL LEADED RESISTOR  
4R02  
**4.02 Ω** @±1%

YEL BRN RED SLV BRN  
4 1 2 .01 F  
1% AXIAL LEADED RESISTOR  
4R12  
**4.12 Ω** @±1%

YEL RED RED SLV BRN  
4 2 2 .01 F  
1% AXIAL LEADED RESISTOR  
4R22  
**4.22 Ω** @±1%

YEL ORN BLK SLV BRN  
4 3 0 .01 F  
1% AXIAL LEADED RESISTOR  
4R30  
**4.30 Ω** @±1%

YEL ORN RED SLV BRN  
4 3 2 .01 F  
1% AXIAL LEADED RESISTOR  
4R32  
**4.32 Ω** @±1%

YEL YEL RED SLV BRN  
4 4 2 .01 F  
1% AXIAL LEADED RESISTOR  
4R42  
**4.42 Ω** @±1%

YEL GRN ORN SLV BRN  
4 5 3 .01 F  
1% AXIAL LEADED RESISTOR  
4R53  
**4.53 Ω** @±1%

YEL BLU YEL SLV BRN  
4 6 4 .01 F  
1% AXIAL LEADED RESISTOR  
4R64  
**4.64 Ω** @±1%

YEL VIO BLK SLV BRN  
4 7 0 .01 F  
1% AXIAL LEADED RESISTOR  
4R70  
**4.70 Ω** @±1%

YEL VIO GRN SLV BRN  
4 7 5 .01 F  
1% AXIAL LEADED RESISTOR  
4R75  
**4.75 Ω** @±1%

YEL GRY VIO SLV BRN  
4 8 7 .01 F  
1% AXIAL LEADED RESISTOR  
4R87  
**4.87 Ω** @±1%

YEL WHT WHT SLV BRN  
4 9 9 .01 F  
1% AXIAL LEADED RESISTOR  
4R99  
**4.99 Ω** @±1%

GRN BRN BLK SLV BRN  
5 1 0 .01 F  
1% AXIAL LEADED RESISTOR  
5R10  
**5.10 Ω** @±1%

GRN BRN BRN SLV BRN  
**5 1 1 .01 F**  
 1% AXIAL LEADED RESISTOR  
**5.11 Ω** 5R11  
 @±1%

BLU BRN WHT SLV BRN  
**6 1 9 .01 F**  
 1% AXIAL LEADED RESISTOR  
**6.19 Ω** 6R19  
 @±1%

VIO ORN RED SLV BRN  
**7 3 2 .01 F**  
 1% AXIAL LEADED RESISTOR  
**7.32 Ω** 7R32  
 @±1%

GRN RED ORN SLV BRN  
**5 2 3 .01 F**  
 1% AXIAL LEADED RESISTOR  
**5.23 Ω** 5R23  
 @±1%

BLU RED BLK SLV BRN  
**6 2 0 .01 F**  
 1% AXIAL LEADED RESISTOR  
**6.20 Ω** 6R20  
 @±1%

VIO GRN BLK SLV BRN  
**7 5 0 .01 F**  
 1% AXIAL LEADED RESISTOR  
**7.50 Ω** 7R50  
 @±1%

GRN ORN BLU SLV BRN  
**5 3 6 .01 F**  
 1% AXIAL LEADED RESISTOR  
**5.36 Ω** 5R36  
 @±1%

BLU ORN YEL SLV BRN  
**6 3 4 .01 F**  
 1% AXIAL LEADED RESISTOR  
**6.34 Ω** 6R34  
 @±1%

VIO BLU GRY SLV BRN  
**7 6 8 .01 F**  
 1% AXIAL LEADED RESISTOR  
**7.68 Ω** 7R68  
 @±1%

GRN YEL WHT SLV BRN  
**5 4 9 .01 F**  
 1% AXIAL LEADED RESISTOR  
**5.49 Ω** 5R49  
 @±1%

BLU YEL WHT SLV BRN  
**6 4 9 .01 F**  
 1% AXIAL LEADED RESISTOR  
**6.49 Ω** 6R49  
 @±1%

VIO GRY VIO SLV BRN  
**7 8 7 .01 F**  
 1% AXIAL LEADED RESISTOR  
**7.87 Ω** 7R87  
 @±1%

GRN BLU BLK SLV BRN  
**5 6 0 .01 F**  
 1% AXIAL LEADED RESISTOR  
**5.60 Ω** 5R60  
 @±1%

BLU BLU GRN SLV BRN  
**6 6 5 .01 F**  
 1% AXIAL LEADED RESISTOR  
**6.65 Ω** 6R65  
 @±1%

GRY BLK BLU SLV BRN  
**8 0 6 .01 F**  
 1% AXIAL LEADED RESISTOR  
**8.06 Ω** 8R06  
 @±1%

GRN BLU RED SLV BRN  
**5 6 2 .01 F**  
 1% AXIAL LEADED RESISTOR  
**5.62 Ω** 5R62  
 @±1%

BLU GRY BLK SLV BRN  
**6 8 0 .01 F**  
 1% AXIAL LEADED RESISTOR  
**6.80 Ω** 6R80  
 @±1%

GRY RED BLK SLV BRN  
**8 2 0 .01 F**  
 1% AXIAL LEADED RESISTOR  
**8.20 Ω** 8R20  
 @±1%

GRN VIO BLU SLV BRN  
**5 7 6 .01 F**  
 1% AXIAL LEADED RESISTOR  
**5.76 Ω** 5R76  
 @±1%

BLU GRY BRN SLV BRN  
**6 8 1 .01 F**  
 1% AXIAL LEADED RESISTOR  
**6.81 Ω** 6R81  
 @±1%

GRY RED GRN SLV BRN  
**8 2 5 .01 F**  
 1% AXIAL LEADED RESISTOR  
**8.25 Ω** 8R25  
 @±1%

GRN WHT BLK SLV BRN  
**5 9 0 .01 F**  
 1% AXIAL LEADED RESISTOR  
**5.90 Ω** 5R90  
 @±1%

BLU WHT GRY SLV BRN  
**6 9 8 .01 F**  
 1% AXIAL LEADED RESISTOR  
**6.98 Ω** 6R98  
 @±1%

GRY YEL GRN SLV BRN  
**8 4 5 .01 F**  
 1% AXIAL LEADED RESISTOR  
**8.45 Ω** 8R45  
 @±1%

BLU BLK YEL SLV BRN  
**6 0 4 .01 F**  
 1% AXIAL LEADED RESISTOR  
**6.04 Ω** 6R04  
 @±1%

VIO BRN GRN SLV BRN  
**7 1 5 .01 F**  
 1% AXIAL LEADED RESISTOR  
**7.15 Ω** 7R15  
 @±1%

GRY BLU BLU SLV BRN  
**8 6 6 .01 F**  
 1% AXIAL LEADED RESISTOR  
**8.66 Ω** 8R66  
 @±1%

GRY GRY VIO SLV BRN  
8 8 7 .01 F  
1% AXIAL LEADED RESISTOR  
**8.87 Ω** 8R87  
@ ±1%

WHT BLK WHT SLV BRN  
9 0 9 .01 F  
1% AXIAL LEADED RESISTOR  
**9.09 Ω** 9R09  
@ ±1%

WHT BRN BLK SLV BRN  
9 1 0 .01 F  
1% AXIAL LEADED RESISTOR  
**9.10 Ω** 9R10  
@ ±1%

WHT ORN BRN SLV BRN  
9 3 1 .01 F  
1% AXIAL LEADED RESISTOR  
**9.31 Ω** 9R31  
@ ±1%

WHT GRN ORN SLV BRN  
9 5 3 .01 F  
1% AXIAL LEADED RESISTOR  
**9.53 Ω** 9R53  
@ ±1%

WHT VIO BLU SLV BRN  
9 7 6 .01 F  
1% AXIAL LEADED RESISTOR  
**9.76 Ω** 9R76  
@ ±1%