

BRN BLK BLK BLK BRN  
1 0 0 0 F

1% AXIAL LEADED RESISTOR  
100 Ω 1000  
@±1%

BRN RED BRN BLK BRN  
1 2 1 0 F

1% AXIAL LEADED RESISTOR  
121 Ω 1210  
@±1%

BRN GRN BLK BLK BRN  
1 5 0 0 F

1% AXIAL LEADED RESISTOR  
150 Ω 1500  
@±1%

BRN BLK RED BLK BRN  
1 0 2 0 F

1% AXIAL LEADED RESISTOR  
102 Ω 1020  
@±1%

BRN RED YEL BLK BRN  
1 2 4 0 F

1% AXIAL LEADED RESISTOR  
124 Ω 1240  
@±1%

BRN GRN YEL BLK BRN  
1 5 4 0 F

1% AXIAL LEADED RESISTOR  
154 Ω 1540  
@±1%

BRN BLK GRN BLK BRN  
1 0 5 0 F

1% AXIAL LEADED RESISTOR  
105 Ω 1050  
@±1%

BRN RED VIO BLK BRN  
1 2 7 0 F

1% AXIAL LEADED RESISTOR  
127 Ω 1270  
@±1%

BRN GRN GRY BLK BRN  
1 5 8 0 F

1% AXIAL LEADED RESISTOR  
158 Ω 1580  
@±1%

BRN BLK VIO BLK BRN  
1 0 7 0 F

1% AXIAL LEADED RESISTOR  
107 Ω 1070  
@±1%

BRN ORN BLK BLK BRN  
1 3 0 0 F

1% AXIAL LEADED RESISTOR  
130 Ω 1300  
@±1%

BRN BLU BLK BLK BRN  
1 6 0 0 F

1% AXIAL LEADED RESISTOR  
160 Ω 1600  
@±1%

BRN BRN BLK BLK BRN  
1 1 0 0 F

1% AXIAL LEADED RESISTOR  
110 Ω 1100  
@±1%

BRN ORN ORN BLK BRN  
1 3 3 0 F

1% AXIAL LEADED RESISTOR  
133 Ω 1330  
@±1%

BRN BLU RED BLK BRN  
1 6 2 0 F

1% AXIAL LEADED RESISTOR  
162 Ω 1620  
@±1%

BRN BRN ORN BLK BRN  
1 1 3 0 F

1% AXIAL LEADED RESISTOR  
113 Ω 1130  
@±1%

BRN ORN VIO BLK BRN  
1 3 7 0 F

1% AXIAL LEADED RESISTOR  
137 Ω 1370  
@±1%

BRN BLU GRN BLK BRN  
1 6 5 0 F

1% AXIAL LEADED RESISTOR  
165 Ω 1650  
@±1%

BRN BRN GRN BLK BRN  
1 1 5 0 F

1% AXIAL LEADED RESISTOR  
115 Ω 1150  
@±1%

BRN YEL BLK BLK BRN  
1 4 0 0 F

1% AXIAL LEADED RESISTOR  
140 Ω 1400  
@±1%

BRN BLU WHT BLK BRN  
1 6 9 0 F

1% AXIAL LEADED RESISTOR  
169 Ω 1690  
@±1%

BRN BRN GRY BLK BRN  
1 1 8 0 F

1% AXIAL LEADED RESISTOR  
118 Ω 1180  
@±1%

BRN YEL ORN BLK BRN  
1 4 3 0 F

1% AXIAL LEADED RESISTOR  
143 Ω 1430  
@±1%

BRN VIO YEL BLK BRN  
1 7 4 0 F

1% AXIAL LEADED RESISTOR  
174 Ω 1740  
@±1%

BRN RED BLK BLK BRN  
1 2 0 0 F

1% AXIAL LEADED RESISTOR  
120 Ω 1200  
@±1%

BRN YEL VIO BLK BRN  
1 4 7 0 F

1% AXIAL LEADED RESISTOR  
147 Ω 1470  
@±1%

BRN VIO GRY BLK BRN  
1 7 8 0 F

1% AXIAL LEADED RESISTOR  
178 Ω 1780  
@±1%

BRN GRY BLK BLK BRN  
1 8 0 0 F

1% AXIAL LEADED RESISTOR  
180 Ω 1800  
@±1%

BRN GRY RED BLK BRN  
1 8 2 0 F

1% AXIAL LEADED RESISTOR  
182 Ω 1820  
@±1%

BRN BLK VIO BLK BRN  
1 8 7 0 F

1% AXIAL LEADED RESISTOR  
187 Ω 1870  
@±1%

BRN WHT BRN BLK BRN  
1 9 1 0 F

1% AXIAL LEADED RESISTOR  
191 Ω 1910  
@±1%

BRN WHT BLU BLK BRN  
1 9 6 0 F

1% AXIAL LEADED RESISTOR  
196 Ω 1960  
@±1%

RED BLK BLK BLK BRN  
2 0 0 0 F

1% AXIAL LEADED RESISTOR  
200 Ω 2000  
@±1%

RED BLK GRN BLK BRN  
2 0 5 0 F

1% AXIAL LEADED RESISTOR  
205 Ω 2050  
@±1%

RED BRN BLK BLK BRN  
2 1 0 0 F

1% AXIAL LEADED RESISTOR  
210 Ω 2100  
@±1%

RED BRN GRN BLK BRN  
2 1 5 0 F

1% AXIAL LEADED RESISTOR  
215 Ω 2150  
@±1%

RED RED BLK BLK BRN  
2 2 0 0 F

1% AXIAL LEADED RESISTOR  
220 Ω 2200  
@±1%

RED RED BLK BLK BRN  
2 2 1 0 F

1% AXIAL LEADED RESISTOR  
221 Ω 2210  
@±1%

RED RED BLU BLK BRN  
2 2 6 0 F

1% AXIAL LEADED RESISTOR  
226 Ω 2260  
@±1%

RED ORN RED BLK BRN  
2 3 2 0 F

1% AXIAL LEADED RESISTOR  
232 Ω 2320  
@±1%

RED ORN VIO BLK BRN  
2 3 7 0 F

1% AXIAL LEADED RESISTOR  
237 Ω 2370  
@±1%

RED YEL BLK BLK BRN  
2 4 0 0 F

1% AXIAL LEADED RESISTOR  
240 Ω 2400  
@±1%

RED YEL ORN BLK BRN  
2 4 3 0 F

1% AXIAL LEADED RESISTOR  
243 Ω 2430  
@±1%

RED YEL WHT BLK BRN  
2 4 9 0 F

1% AXIAL LEADED RESISTOR  
249 Ω 2490  
@±1%

RED BLK BLK BLK BRN  
2 5 5 0 F

1% AXIAL LEADED RESISTOR  
255 Ω 2550  
@±1%

RED BLU BRN BLK BRN  
2 6 1 0 F

1% AXIAL LEADED RESISTOR  
261 Ω 2610  
@±1%

RED BLU VIO BLK BRN  
2 6 7 0 F

1% AXIAL LEADED RESISTOR  
267 Ω 2670  
@±1%

RED VIO BLK BLK BRN  
2 7 0 0 F

1% AXIAL LEADED RESISTOR  
270 Ω 2700  
@±1%

RED VIO YEL BLK BRN  
2 7 4 0 F

1% AXIAL LEADED RESISTOR  
274 Ω 2740  
@±1%

RED GRY BLK BLK BRN  
2 8 0 0 F

1% AXIAL LEADED RESISTOR  
280 Ω 2800  
@±1%

RED GRY VIO BLK BRN  
2 8 7 0 F

1% AXIAL LEADED RESISTOR  
287 Ω 2870  
@±1%

RED WHT YEL BLK BRN  
2 9 4 0 F

1% AXIAL LEADED RESISTOR  
294 Ω 2940  
@±1%

BRN BLK BLK BLK BRN  
3 0 0 0 F

1% AXIAL LEADED RESISTOR  
300 Ω 3000  
@±1%

BRN BLK BRN BLK BRN  
3 0 1 0 F

1% AXIAL LEADED RESISTOR  
301 Ω 3010  
@±1%

ORN BLK WHT BLK BRN  
3 0 9 0 F

1% AXIAL LEADED RESISTOR  
309 Ω 3090  
@±1%

ORN BRN GRN BLK BRN  
3 1 6 0 F

1% AXIAL LEADED RESISTOR  
316 Ω 3160  
@±1%

ORN RED YEL BLK BRN  
3 2 4 0 F

1% AXIAL LEADED RESISTOR  
324 Ω 3240  
@±1%

ORN ORN BLK BLK BRN  
3 3 0 0 F

1% AXIAL LEADED RESISTOR  
330 Ω 3300  
@±1%

ORN ORN RED BLK BRN  
3 3 2 0 F

1% AXIAL LEADED RESISTOR  
332 Ω 3320  
@±1%

ORN YEL BLK BLK BRN  
3 4 0 0 F

1% AXIAL LEADED RESISTOR  
340 Ω 3400  
@±1%

ORN YEL GRN BLK BRN  
3 4 6 0 F

1% AXIAL LEADED RESISTOR  
346 Ω 3460  
@±1%

ORN BLU VIO BLK BRN  
3 5 7 0 F

1% AXIAL LEADED RESISTOR  
357 Ω 3570  
@±1%

ORN GRN BLK BLK BRN  
3 6 0 0 F

1% AXIAL LEADED RESISTOR  
360 Ω 3600  
@±1%

ORN GRN BLU BLK BRN  
3 6 5 0 F

1% AXIAL LEADED RESISTOR  
365 Ω 3650  
@±1%

ORN VIO YEL BLK BRN  
3 7 4 0 F

1% AXIAL LEADED RESISTOR  
374 Ω 3740  
@±1%

ORN GRY ORN BLK BRN  
3 8 3 0 F

1% AXIAL LEADED RESISTOR  
383 Ω 3830  
@±1%

ORN WHT BLK BLK BRN  
3 9 0 0 F

1% AXIAL LEADED RESISTOR  
390 Ω 3900  
@±1%

ORN WHT RED BLK BRN  
3 9 2 0 F

1% AXIAL LEADED RESISTOR  
392 Ω 3920  
@±1%

YEL BLK RED BLK BRN  
4 0 2 0 F

1% AXIAL LEADED RESISTOR  
402 Ω 4020  
@±1%

YEL BRN RED BLK BRN  
4 1 2 0 F

1% AXIAL LEADED RESISTOR  
412 Ω 4120  
@±1%

YEL RED RED BLK BRN  
4 2 2 0 F

1% AXIAL LEADED RESISTOR  
422 Ω 4220  
@±1%

YEL ORN BLK BLK BRN  
4 3 0 0 F

1% AXIAL LEADED RESISTOR  
430 Ω 4300  
@±1%

YEL ORN RED BLK BRN  
4 3 2 0 F

1% AXIAL LEADED RESISTOR  
432 Ω 4320  
@±1%

YEL YEL RED BLK BRN  
4 4 2 0 F

1% AXIAL LEADED RESISTOR  
442 Ω 4420  
@±1%

YEL BLU ORN BLK BRN  
4 5 3 0 F

1% AXIAL LEADED RESISTOR  
453 Ω 4530  
@±1%

YEL GRN YEL BLK BRN  
4 6 4 0 F

1% AXIAL LEADED RESISTOR  
464 Ω 4640  
@±1%

YEL VIO BLK BLK BRN  
4 7 0 0 F

1% AXIAL LEADED RESISTOR  
470 Ω 4700  
@±1%

YEL VIO BLU BLK BRN  
4 7 5 0 F

1% AXIAL LEADED RESISTOR  
475 Ω 4750  
@±1%

YEL GRY VIO BLK BRN  
4 8 7 0 F

1% AXIAL LEADED RESISTOR  
487 Ω 4870  
@±1%

YEL WHT WHT BLK BRN  
4 9 9 0 F

1% AXIAL LEADED RESISTOR  
499 Ω 4990  
@±1%

BLU BRN BLK BLK BRN  
5 1 0 0 F

1% AXIAL LEADED RESISTOR  
510 Ω 5100  
@±1%

BLU BRN BRN BLK BRN  
5 1 1 0 F

1% AXIAL LEADED RESISTOR  
511 Ω 5110  
@±1%

BLU RED ORN BLK BRN  
5 2 3 0 F

1% AXIAL LEADED RESISTOR  
523 Ω 5230  
@±1%

BLU ORN GRN BLK BRN  
5 3 6 0 F

1% AXIAL LEADED RESISTOR  
536 Ω 5360  
@±1%

BLU YEL WHT BLK BRN  
5 4 9 0 F

1% AXIAL LEADED RESISTOR  
549 Ω 5490  
@±1%

BLU GRN BLK BLK BRN  
5 6 0 0 F

1% AXIAL LEADED RESISTOR  
560 Ω 5600  
@±1%

BLU GRN RED BLK BRN  
5 6 2 0 F

1% AXIAL LEADED RESISTOR  
562 Ω 5620  
@±1%

BLU VIO GRN BLK BRN  
5 7 6 0 F

1% AXIAL LEADED RESISTOR  
576 Ω 5760  
@±1%

BLU WHT BLK BLK BRN  
5 9 0 0 F

1% AXIAL LEADED RESISTOR  
590 Ω 5900  
@±1%

GRN BLK YEL BLK BRN  
6 0 4 0 F

1% AXIAL LEADED RESISTOR  
604 Ω 6040  
@±1%

GRN BRN WHT BLK BRN  
6 1 9 0 F

1% AXIAL LEADED RESISTOR  
619 Ω 6190  
@±1%

GRN RED BLK BLK BRN  
6 2 0 0 F

1% AXIAL LEADED RESISTOR  
620 Ω 6200  
@±1%

GRN ORN YEL BLK BRN  
6 3 4 0 F

1% AXIAL LEADED RESISTOR  
634 Ω 6340  
@±1%

GRN YEL WHT BLK BRN  
6 4 9 0 F

1% AXIAL LEADED RESISTOR  
649 Ω 6490  
@±1%

GRN GRN BLU BLK BRN  
6 6 5 0 F

1% AXIAL LEADED RESISTOR  
665 Ω 6650  
@±1%

GRN GRY BLK BLK BRN  
6 8 0 0 F

1% AXIAL LEADED RESISTOR  
680 Ω 6800  
@±1%

GRN GRY BRN BLK BRN  
6 8 1 0 F

1% AXIAL LEADED RESISTOR  
681 Ω 6810  
@±1%

GRN WHT GRY BLK BRN  
6 9 8 0 F

1% AXIAL LEADED RESISTOR  
698 Ω 6980  
@±1%

VIO BRN BLU BLK BRN  
7 1 5 0 F

1% AXIAL LEADED RESISTOR  
715 Ω 7150  
@±1%

VIO ORN RED BLK BRN  
7 3 2 0 F

1% AXIAL LEADED RESISTOR  
732 Ω 7320  
@±1%

VIO BLU BLK BLK BRN  
7 5 0 0 F

1% AXIAL LEADED RESISTOR  
750 Ω 7500  
@±1%

VIO GRN GRY BLK BRN  
7 6 8 0 F

1% AXIAL LEADED RESISTOR  
768 Ω 7680  
@±1%

VIO GRY VIO BLK BRN  
7 8 7 0 F

1% AXIAL LEADED RESISTOR  
787 Ω 7870  
@±1%

GRY BLK GRN BLK BRN  
8 0 6 0 F

1% AXIAL LEADED RESISTOR  
806 Ω 8060  
@±1%

GRY RED BLK BLK BRN  
8 2 0 0 F

1% AXIAL LEADED RESISTOR  
820 Ω 8200  
@±1%

GRY RED BLU BLK BRN  
8 2 5 0 F

1% AXIAL LEADED RESISTOR  
825 Ω 8250  
@±1%

GRY YEL BLU BLK BRN  
8 4 5 0 F

1% AXIAL LEADED RESISTOR  
845 Ω 8450  
@±1%

GRY GRN GRN BLK BRN  
8 6 6 0 F

1% AXIAL LEADED RESISTOR  
866 Ω 8660  
@±1%

GRY GRY VIO BLK BRN

8 8 7 0 F

1% AXIAL LEADED RESISTOR

887  $\Omega$  8870  
@ ±1%

WHT BLK WHT BLK BRN

9 0 9 0 F

1% AXIAL LEADED RESISTOR

909  $\Omega$  9090  
@ ±1%

WHT BRN BLK BLK BRN

9 1 0 0 F

1% AXIAL LEADED RESISTOR

910  $\Omega$  9100  
@ ±1%

WHT ORN BRN BLK BRN

9 3 1 0 F

1% AXIAL LEADED RESISTOR

931  $\Omega$  9310  
@ ±1%

WHT BLU ORN BLK BRN

9 5 3 0 F

1% AXIAL LEADED RESISTOR

953  $\Omega$  9530  
@ ±1%

WHT VIO GRN BLK BRN

9 7 6 0 F

1% AXIAL LEADED RESISTOR

976  $\Omega$  9760  
@ ±1%